



# Packaging Dynamics, Ltd.

35B Carlough Road, Bohemia, New York 11716  
Tel: 631.563.4499 Fax: 631.563.4893

## FULLY AUTOMATIC MICRO-DISPENSING FILLER

**New Micro Filler**

**Stainless Steel Construction**



**Allen Bradley Controls**

**IVEK Pumps Enclosed**

### Features

- Fully-Automatic Control Package
- High Accuracy Metering System (Accurate to 1/2 a gram)
- Stainless Steel Frame & Conveyor
- Stainless Steel Contact Parts
- Nema 4 Electrics & Allen Bradley Controls
- Stainless Steel Tanks
- Quick Change Rail & Nozzle Adjustment
- Pneumatic Drip Tray

### Benefits

- High Speed Volume Production
- High Accuracy Fill, No Wasted Product
- Low Maintenance & Operating Cost
- Servo Powered Index Star For Faster Indexing
- Adaptable To Fit A Variety Of Bottle Sizes and Configurations
- Fast And Easy Clean Ups
- High Efficiency AC Motors

### Options


- Splash Guard
- Sanitary Connections
- Explosion Proof Construction



# Packaging Dynamics, Ltd.

35B Carlough Road, Bohemia, New York 11716  
Tel: 631.563.4499 Fax: 631.563.4893

## ENGINEERED FOR ACCURACY & DEPENDABILITY



Packaging Dynamics Ltd. introduces the Automatic Micro-Dispensing Filler (SLA-RL8) which utilizes micro-dispensing technology to achieve high accuracy.

Our IVEK Positive Displacement High Precision Fluid Meters use two rotating stainless steel impellers driven by a custom stepper motor and control system.

Adjustments can be made mechanically or electronically to ensure a precise fill.

This equipment is available from single to eight head models and handles viscosities from water thin to gels.

Custom indexing conveyors are also available for loading and unloading areas as well as Accumulation and Unscrambler tables to complete the line.

### Specifications

#### DESCRIPTION

Container Size	Bottles/Containers 10 mL - 100 mL
Nozzles Available	1 to 8
Construction	Stainless Steel
Overall Dimensions	70"H x 69"W x 23"D (excluding supply tank)
Air Consumption	2 to 3 scfm
Weight	Approximately 1000 lbs.
Production Rate	Over 100 CPM